



MODEL L-23s DIAGRAM PRIMARY CABINET DIMENSIONS

SPECIFICATIONS (CENTIMETERS ARE REPRESENTED BY [])

MAX TV SIZE : 32"
 MAX WEIGHT CAPACITY : 130 LBS [59 KG]
 MAX TRAVEL (EXTENSION) : 23" [58.4]
 LIFT SYSTEM HEIGHT : 23.75" [60.3]
 MAX TV HEIGHT : 21.75" [55.2] MINUS LID THICKNESS
 MANUAL SWIVEL RANGE : +/- 180°

QUICK REFERENCE DIMENSION GUIDE (USE WHICHEVER IS GREATER)

TV DIMENSIONS : W____, H____, D____
 MIN. INTERIOR CABINET WIDTH : $W+2"$ [5.1] = ____ OR 20.25" [51.4]
 MIN. LID CUTOUT WIDTH : $W+2"$ [5.1] = ____ OR 20.25" [51.4]
 MIN. INTERIOR CABINET HEIGHT : $H+1"$ [2.6] = ____ OR 24" [61]
 MIN. INTERIOR CABINET DEPTH : $D+4.75"$ [12.1] = ____ OR 5.75" [14.6]
 MIN. LID CUTOUT DEPTH : $D+4.75"$ [12.1] = ____ OR 5.75" [14.6]




NOTES:

1. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
2. WHEN DETERMINING TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED "TV WITHOUT STAND" HEIGHT
3. LIFT MECHANISM IS POWDERCOATED BLACK STEEL, COLORS IN DIAGRAM ARE FOR CLARITY ONLY
4. THE HEIGHT OF THIS MODEL IS NOT ADJUSTABLE; A PLATFORM MUST BE USED TO INCREASE LIFT SYSTEM HEIGHT

NEXUS₂₁

COPYRIGHT 2019 - ALL RIGHTS RESERVED
UPDATED 11/15/19

MODEL L-23s DIAGRAM CABINET REFERENCE DIMENSIONS



- NOTES:
1. TAPERED PINS ALLOW LID TO FLOAT WITH THE USE OF THE LID CATCHES.
 2. MINIMUM SEAM CAN BE REDUCED TO 0.0625" [0.2] WITH A 45 DEGREE BEVEL ON THE LID